		0039 (Expires 9-30-94) gned for use on elite (12- <sub>1</sub>	oitch) typewriter.			ns on back o			Sa	t of Toxic Substance cramento, Californ
<b>A</b>		HAZARDOUS	1. Generator's l	<b>9</b>		Manifest Documen		2. Page 1		in the shaded are ed by Federal lav
<b>₹</b>	WASTE	MANIFEST	CADO	36516	005	0118	6 1 Z			
		e and Mailing Address		A	Hn: R	Tuell	A. State A	Aanifest Document		23018
19	SME S	Variatt Con	npany	M	il Codo	, Tue//	D Cases C	enerator's ID	<b>9</b> 1	<b>60010</b>
17	errance	Normandie	502 #	<i>(</i> - )		, ,		1414131	Zinai	ci Zi Oizi
			7926 OR	(3/0)	33-77	11-04-94		ransporter's ID		
13.	ransporter 1 Co	nvironmer	ital Servi	COS EPA ID					448	006
				CADO	083	33/2/	D. Transp	orter's Phone 💋	10)57	8-470
7.	ransporter 2 Co	rnia Tn mpany Name	<del> </del>	8. US EPA ID	Number	•	E. State T	ransporter's ID	51	
	Martin				1 1 1	1 1 1 1	F. Transp	orter's Phone		
-	Docionated Facili	ly Name and Site Addre	966	10. US EPA ID	Number		G. State I	acility's ID	151115	
		nvironme				· · · · · · · · · · · · · · · · · · ·	1	MADION	70.80	7 <b>743</b>
5	2/5 5	Boule A	VENUE				H. Facility	s Phone	1-00	
LIZ	s An	Boyle A	A 90058	ICAIDIO	9703	30191913		(2/5	1588	1////
11.	US DOT Descrip	tion (including Proper St	nipping Name, Hazar	d Class, and ID N	lumber)	12. Con	tainers Type	13. Total Quantity	14. Unit Wt/Vol	1. Waste Numbe
			·		<del></del>		туре	<u> </u>		State
J.	Kinse	water C	ontaining	30dium	nyarox	ide			0	FR (A)
ତ୍ର   N	on-RCI	RA Hazar	dous W	aste 6	riquid	001	$I_{\parallel}T_{\parallel}$	28350	P	EPA/Other
7	b.		1.70	Las of				7		State
E						-   1				EPA/Other
K				·						
Ţ	c.	14 - 15 - 15 - 15 - 15 - 15 - 15 - 15 -								State
										EPA/Other
ì										State
	d.						Ì			June 1
1	*						1	 		EPA/Other
		tions for Materials Liste	d Albayca		in die		K Hondi	g Codes for Was	tes Listed Abo	
	nse wa		maning 1	lew Chem	$m_{\mu} \mu$ $\tau$	nnks and	a.		6.	Alberta .
#1E		odium Hya	Frozide o	72.60	ultur (		111111177			174
		lum nate		applied 172	34/1/2	5 97/20	rc.		<b>d.</b>	
1	riethano	lamine o		uter 91				1	<u> </u>	interest
15.	Special Handling	Instructions and Additional Addit	onal Intermation [4]	P approve	IF EOIC	16200134	1630	124-	9300	Chemt
2	4-H			elepilor	ie Ne	MIDE	(	,,,,,	·- •	
II	OT	ERG	(11a) 31	17 X 30		Shavety.	102			
				Sycie						1 1 1
16.	GENERATOR'S packed, marked	CERTIFICATION: I her I, and labeled, and are	eby declare that the in all respects in prop	contents 6t the cor er condition for tr	isignment are t ansport by hig	hway according to	y aescribea applicable	federal, state and	international	laws.
	economically pr	quantity generator, I cacticable and that I have	e selected the practic	able method of t	reatment, store	age, or disposal c	irrently ava	ilable to me whicl	n minimizes th	ne present and to
	threat to human	health and the environ	ment; OR, if I am a	small quantity ge	nerator, I hav	e made a good f	aith effort t	o minimize my wo	iste generatio	n and select the
Prin	waste managem ted/Typed Name	ent method that is avail	able to me and mai i	Signature		1 1 1	T	7.0	Mont	h Day
	obert	G,T	1e 11 . J	r.	Kst	エナタ	Tu	M. C.	$\perp 1/\perp$	104
		cknowledgement of Reco	eipt of Materials					7		
A Prir	red/Typed North	nill+ 1	-11 ist	Signature	(1/1)	1000.00	. 1-1	ar ar ar 🛥	Mont	
₽ —	Transport 2 A	cknowledgement of Rece	eipt of Materials		40					
	ted/Typed Name		apr or majorials	Signature	· ·				Mont	h Day
E R			:							
19.	Discrepancy Indi	cation Space	no) pH w	at orce	at s 2	12 5	s - 1 S			
FA		(3) C 4			pron a	<i>72 .</i> O				
Ĉ										
• 1	Facility Owner o	r Operator Certification	of receipt of hazard	ous materials cave	ered by this me	anifest except as n	oted in Item	19		
	ted/Typed Name			Signature	1			20.	Mont	h Day
7	Dur	n.Har	HILL		MAM	mit	(0	Lin	111	1041
1							1 ·	- 1/1 / 1 //	1 2 1 1	<del> </del>

BOE-C6-0207589

DO NOT WRITE BELOW THIS LINE.

	7						
				· Ž			
				bei			
		•		·to			9
			00	"KS			2/8
		4	5	4			30
	•		17.0			1	92
	•	62,140	33 790	2 2	- l		·.
				hen	non.	. SN	3E
		GROSS	TARE HET	, ,	העתש כתחווו	GALLONS	NUMBER: 92301867
	••	69	TAR	new chem will tanks & bein	Š.	ပ်	. Ž
				1		•	· }
	WEIGHT TICKET			ates from Cleapung			DOCUMENT
	1-1		8	1 20 1		3	M
	1913			1		ر پر او مید	CU
	][	3		2			) DC
		·		2	N		
		P			Norkis	to	FEST
			4	exe 1	9	#	
		3	40	<i>3</i> .			
	•		6044	Rinsem	JITY	भूत	IAN
		4.	600	Ĭ.	DISPOSAL FACILITY	dm	STATE MANI
		$\mathcal{A}$			<u>ن</u> پر	力·	البا
•	•	OR:	IRUCK #:	TENI	P05/	ORIVER:	A
	•	VENDOR	TRUCK DATE:	CONTENTS:	D13	DRI	S
	ť	· · · · · · · · · · · · · · · · · · ·					
					(		
تنفثه	75.05 E.W.			GG 7/27/27	ويتروري	TENNERA	

## LAND DISPOSAL RESTRICTION NOTIFICATION

Generator Name: <u>Douglas Aircraft Co.</u> Manifest Number: <u>01867/92301867</u>			EPA 1D Number: <u>CAD 08 65 / 000 5</u>					
		Date of Shipment: 11-04-94						
1	ndicate Waste Line Item (11):							
(	This notification is hereby submitted to NORRIS ENVIRONMENTAL SERVICES in compliance with EPA regulations described in 40 CFR Part 268 which prohibit the land disposal of certain hazardous wastes, unless these wastes are treated to meet specified standards or treated using specified treatment technologies.							
ſ	ederal regulations.		aste must be managed to conform to land disposal ban and/or					
_	RCKA Land Disposal Notification Non - RC	<u>-KA</u>	California List Wastes Notification					
C	Liquid hazardous waste including free liquids associate with any solid or sludge containing free cyanide a concentrations greater than or equal to 1000mg/L.	ıt	Waste Requires Treatment					
	Treatment Standard-Cyanide Destruction Stabilization		I am the initial generator of an untreated waste identified above which must be treated in the appropriate treatment					
C	Liquid hazardous wastes, including free liquids associated with any solid or sludge, containing the following metal (or elements) at concentrations greater than or equal to those specified below:	S	standard set forth in 40 CFR 268 Subpart D, or where no treatment standard exists for the California List Waste, the waste must be treated to the levels specified under 40 CFR 268.32.					
	Treatment Standard-Metals Recovery Stabilization							
	(check those that apply)		Waste Treated to Performance Standards					
	Arcenic and/or compounds (as As)  Barium and/or compounds (as Ba)  Cadmium and/or compounds (as Cd)  Chromium (VI and/or compounds as Cr VI)  Lead and/or compounds (as Pb)  Mercury and/or compounds (as Hg)  Selenium and/or compounds (as Se)  Selenium and/or compounds (as Se)  Silver and/or compounds (as Ag)  5.0 mg/L;  Silver and/or compounds (as Ag)  5.0 mg/L;	ā	The waste identified above has been treated in compliance with the applicable performance standars specified in 40 CFR 268 Subpart D and/or the applicable prohibitions set forth in 40 CFR 268.32. "I certify under penalty of law that I have personally examined and am familiar with the treatment technology and operation of the treatment process used to support this certification and that, based upon my inquiry of those individuals immediately responsible for obtaining this information, I believe that the treatment process used to support this certification and that, based upon my inquiry of those individuals immediately responsible for obtaining this information, I believe that the treatment process has been					
0	Liquid hazardous wastes that are primarily water and contain halogenated organic compounds (HOCs) in total concentration greater than or equal to 1,000 mg/L and less than 10,000 mg/L HOCs (see attached listing of HOC constituents)	ı	operated and maintained properly so as to comply with the performance levels specified in 40 CFR Part 268 Subpart D and all applicable prohibitions set forth in 40 CFR 268.32 or RCRA Section 3004(s) without dilutions of the prohibited waste. I am aware that there are significant penulties for submitting a false certification, including the possibility of a fine and imprisonment.					
	Treatment Standard-Carbon Absorption Steam Stripping							
ū	Liquid hazardous wastes containing polychlorinated biphenyls (PCBs) at concentrations greater than or equal to 50 ppm.		Waste Subject to Variance					
	Treatment Standard-Incineration, high efficiency boiler, other thermal treatment							
	Liquid hazardous wastes having a pH less than or equal to two(2) or pH equal to or greater than $12.5$ .	0	The waste identified above is subject to a case-by-case extension under 40 CFR 268.5, a no-migration petition under 40 CFR 268.6, a nationwide variance under Subpart C, or is soil or debris generated from a response action taken upder					
	Treatment Standard-Neutralization Stabilization		CERCLA or corrective action under RCRA.					
D	The spent solvent wastes specified in 40 CFR 261.31 as EPA Huzurdous Wastes Nos F001, F002, F003, F004 and F005.							
	Treatment Standard-Specify technology used to meet Table CCWE Check constituent(s) on Table CCWE which were reduced below treatment standards		·					
The most recent copy of waste analysis or a description of the knowledge upon which this notification is based is attached. I hereby certify that all information submitted in this and all associated documents is complete and accurate to the best of my knowledge and information.								
Pri	Robert G. Tuell, Tr.  Robert & Jack D.  hatture	Seniu (310)	X Plant Engineer 11-04-94  Title Date  533-7926  Telephone Number					

**WORK ORDER** 

LATOLAN

ENVIRONMENTAL

SERVICES

HUNT

221 E. "D" ST. • P.O. Box 1175 WILMINGTON, CA 90748-1175 (310) 518-4700 • (800) 955-5359

240120

work order no. 1259**5** 

**BILLING ADDRESS** 

SERVICE ADDRESS

DOUGLAS

190Th & NORMANDIE

TORRANCE

ORDER DATE	CUSTOMER P.O. #  R-17: 27064-H6262	ORDERED BY	TELEPHONE#	CONTACT PERSON
REP. DIV. #	DEPARTMENT	CUSTOMER'S EPA# CUS	TOMER'S BD OF EQUAL#	CONTACT PHONE #

1. DETRO WORK ON SITE

McDonnell Douglas on Site: In: 0630 Out: 1515

DRIVER COMPLETE:
SERVICES PERFORMED, PURPLY TONG IN GUILD
ing one, Hour Load of liquid
TO NOMES DISPOSAL (SOCIUM
Hydroxide solution) and water.
START 5530 STOP START 55448 END TRUCK 16044 TRAILER 16040
Manifest Number 90301867 Date Completed 11-4-04 Drivers Name 2018
Coments

In the event of any litigation arising out of this agreement or any transaction contemplated hereby, the prevailing party shall be entitled to reasonable attorney's fees, expenses and costs.

NOT AN INVOICE - BILLING WILL FOLLOW

Customer Signature Robert S. Juelling, 11-04-9.

## PRICING INSTRUCTIONS - DRUMS Cissipal Hrs. @ Per Hr. Project Manager Hrs. @ Per Hr. First Technician Hrs. @ Per Hr. Second Technician Hrs. @\_\_\_\_ CoThird Technician Hrs. @ Per Hr. Per Hr. Firth Technician Hrs. @ Per Hr. Truck # Hrs. Ø Per Hr. Truck# Hrs. 0 Per Hr. Truck # Hrs. @ Per Hr. 144 (4.00 A) . . . . Products Tolking Sundays, Holidays, and After Hours @ KORPERU ŽŽ TRANSPORTATION & DISPOSAL FEES TO TSD FACILITY 5 Gal: Cans Liquid @ Each 5 Gal. Cans Solid @\_\_\_ Each 5 Gal. Cans Lab Packed @ \_\_\_\_\_ Each 55 Gal. Drums Liquid @ Each 55 Gal. Drums Solid @ \_\_\_\_\_ \_\_\_\_\_ Each 55 Gal. Drums Lab Packed \_\_\_\_\_ Each Empty 5 Gal. Cans @ \_\_\_\_\_ Each Empty 55 Gal. Cans @\_\_\_\_\_ Each County Tax\_ MATERIALS USED \_\_\_\_\_ 5 Gal. Cans @\_\_\_\_ 55 Gal. Drums @ \_\_\_\_ Each Recovery Drums @ \_\_\_\_\_ Each Bags Vermiculite @ \_\_\_\_\_ Each \_\_\_\_\_\_ 8ags (Other Describe) @ \_\_\_\_ Hazardous Waste Labels @ Each Each Drum Liners @ \_\_\_ Sefety Equipment Number of Sets PRICING INSTRUCTIONS - PUMPING Compensation Hrs. @ Per Hr. Washout Fee Dump Fee TOTAL